

**From:** Cynthia Metzger/ESC/R3/USEPA/US  
**Sent:** 7/10/2012 10:50:07 AM  
**To:** HopeL Williams/R3/USEPA/US@EPA  
**CC:** Annette Lage/ESC/R3/USEPA/US@EPA; Richard Vanholt/R3/USEPA/US  
**Subject:** Re: 03-FOI-00467-12

Responses to these FOIA requests are being coordinated by ORC and HSCD. We are providing information to them. Please check with them on the status.

Cindy Metzger, Director  
Office of Analytical Services & Quality Assurance  
EPA Region III  
701 Mapes Road  
Ft. Meade, MD 20755-5350  
410-305-2735 (voice)  
410-305-3095 (fax)  
metzger.cynthia@epa.gov

**From:** HopeL Williams/R3/USEPA/US  
**To:**  
**Cc:** Annette Lage/ESC/R3/USEPA/US@EPA, Cynthia Metzger/ESC/R3/USEPA/US@EPA, Richard Vanholt/R3/USEPA/US  
**Date:** 07/10/2012 10:40 AM  
**Subject:** Re: 03-FOI-00467-12

Please let Richard Vanholt know the status of this FOIA. It is also on the overdue list.

Thanks in advance

Hope Williams, Division Secretary  
Environmental Assessment and Innovation Division  
U. S. Environmental Protection Agency, Region III  
1650 Arch Street  
Philadelphia, PA 19103

(215) 814-2491  
williams.hopel@eap.gov

**From:** HopeL Williams/R3/USEPA/US  
**To:** Annette Lage/ESC/R3/USEPA/US@EPA, Cynthia Metzger/ESC/R3/USEPA/US@EPA  
**Cc:** Richard Vanholt/R3/USEPA/US  
**Date:** 03/13/2012 10:04 AM  
**Subject:** 03-FOI-00467-12

Jeff Lapp returned this FOIA to me and stated that it should go to the Lab. Documents concerning water quality in Dimock, PA. Please review FOIA. Thanks in advance.

Hope Williams, Division Secretary  
Environmental Assessment and Innovation Division  
U. S. Environmental Protection Agency, Region III  
1650 Arch Street  
Philadelphia, PA 19103

(215) 814-2491  
williams.hopel@eap.gov

----- Forwarded by HopeL Williams/R3/USEPA/US on 03/13/2012 10:02 AM -----

From: EPASCAN12-426@EPA.GOV  
To: HopeL Williams/R3/USEPA/US@EPA  
Date: 03/13/2012 09:59 AM  
Subject: Attached Image

[attachment "3426\_001.pdf" deleted by Cynthia Metzger/ESC/R3/USEPA/US]